
PETTIBONE / RICCOBONO RENOVATION



- 8. A SINGLE STATION SMOKE DETECTOR ALARM DEVIC SHALL BE INSTALLED
- IN EACH BEDROOM, ON ALL FLOORS AND SHALL BE INTERCONNECTED PER CODE 9. ALL BATHROOM WITHOUT OPERABLE WINDOWS TO I
- MECHANICALLY VENTILATED OS PER NEW YORK STATE
- 10. NO WORK IS TO BE STARTED UNTIL A BUILDING PERM HAS BEEN SECURED AS REQUIRED BY THE APPLICABLE GOVERNING AGENCY OR AGENCIES.
- 11. ALL CONDITIONS AND DIMENSIONS ARE TO BE VERIF BEFORE START OF ANY WORK AND DISCREPANCIES OR VARIATIONS TO APPROVED PLAN ARE TO BE BROUGHT THE ATTENTION OF THE OWNER BEFORE PROCEEDING.
- 12. ALL WORK OF THE VARIOUS TRADES INVOLVED WIT CONSTRUCTION OF THIS PROJECT, IS TO BE PERFORMI BY CAPABLE AND REPUTABLE CONTRACTORS, LICENSE THE STATE OF NEW YORK AND AS REQUIRED BY THE LC GOVERNING AGENCY
- 13. ALL WORK OF THE VARIOUS TRADES IS TO BE PERFORMED IN ACCORDANCE WITH STATE AND LOCAL CODES, AND ALL OTHER APPLICABLE AGENCIES AND STANDARDS GOVERNING THAT PARTICULAR TRADE, AN HEREINAFTER STATED OR IMPLIED
- 14. ANY WORK HEREINAFTER STATED OR IMPLIED WHIC CONTRARY TO THAT REQUIRED BY THE APPLICABLE GOVERNING AGENCIES AND CODES IS TO BE BROUGHT THE ATTENTION OF THE OWNER, AND CORRECTED IN ORDER TO CONFORM TO THOSE GOVERNING REQUIREMENTS.
- 15. ANY DISCREPANCIES FROM THIS PLAN AND THE ACT ARCHITECT OR HIS REPRESENTATIVE.
- 16. ALL CONSTRUCTION MATERIALS ARE TO BE NEW ANI A LEVEL OF QUALITY WHICH WILL INSURE THE QUALITY WORK DESIRED BY THE OWNER.
- 17. RELOCATED PARTITIONS ARE TO BE DISASSEMBLED **RECONSTRUCTED TO INSURE DURABLE STRONG** CONSTRUCTION. DO NOT RELOCATE PARTITIONS AS A COMPLETE WALL
- SILL PLATES OF NEW AND RELOCATED PARTIT ARE TO BE SECURED DIRECTLY TO THE EXISTING FLOO REMOVE ANY FINISH MATERIALS, SUCH AS CARPETING, PRIOR TO ANCHORING PLATE.
- THE JOB SITE ALL TOOLS, SURPLUS MATERIALS, EQUIPM

SITE NOTES:

- ALL EXISTING CONDITIONS INDICAT EXECUTED IN A MANNER THAT WILL REMAIN.
- 2. EXTREME CAUTION IS TO BE TAKEN UNFORESEEN DISCREPANCIES IN THE PLA ALL EXISTING SITE CONDITIONS DAMAGED REPAIRED OR REPLACED TO THEIR
- COST TO THE OWNER. REMOVE AND STORE ON SITE AL
- CONSTRUCTION IS COMPLETED. FINISH GRADE TO ELEVATIONS A
- NEW EXCAVATED AREAS IS TO BE L ALL FILL MATERIAL SHALL BE SO OTHER OBJECTIONABLE MATERIAL
- GREATEST DIMENSION AND NOT MO 1/2 INCHES IN GREATEST DIMENSIO 10. TOP 6" OF NEWLY GRADED AREAS IS
- 2" IN SIZE AND OBJECTIONABLE MATERIAL CONTRACTOR/OWNER IS RESPONSIBLE FO SAME UTILITY COMPANIES LINES, S 18. GENERAL CONTRACTOR OR OWNER
- CONDITIONS INDICATED PRIOR TO CONST INFORMATION CONTAINED IN SURVEYS OR


	ARCHITECTS:
 SCRAP, DEBRIS, AND WASTE, EXCEPT AS OTHERWISE NOTED BY THE OWNER. ALL CONDITIONS INDICATED OR IMPLIED AS EXISTING AT THE TIME OF THIS APPLICATION ARE NOT THE RESPONSIBILITY OF THE ARCHITECT. ALL CONDITIONS INDICATED OR IMPLIED AS EXISTING AT THE TIME OF CONSTRUCTION ARE NOT THE RESPONSIBILITY OF THE ARCHITECT. CONTRACTOR WILL FULLY COMPLY TO THE PROVISIONS OF THE FEDERAL OCCUPATIONAL SAFETY AND HEALTH ACT 	S A M U E L S & S T E E L M A N 25235 MAIN ROAD CUTCHOGUE, NY 11935
ED OF 1920 AND TO ANY RULES AND REGULATIONS PURSUANT TO THE ACT. 70 22. ALL MATERIALS AS WELL AS METHODS AND PROCESSES USED IN THE PERFORMANCE OF THE WORK SHALL THE CONFORM TO THE STANDARDS OF THE BUILDING. 23. CERTIFICATES OF INSURANCE AS REQUIRED UNDER THE DIN DOCUMENT TITLED "INSURANCE REQUIREMENTS FOR CAL TRADES CONDUCTING OPERATIONS IN BUILDINGS FOR WHICH CUSHMAN & WAKEFIELD INC. ACTS AS AGENT" INCLUDED IN THE CONTRACT DOCUMENTS, MUST BE FURNISHED TO THE ARCHITECT PRIOR TO PROCEEDING WITH ANY WORK AND REQUIRED INSURANCE IS TO BE D AS MAINTAINED AT ALL TIMES DURING CONSTRUCTION. 11S	NO RESIDENCE
JAL E OOF OF AND ONS RING.	/ RICCOBON
M 1ENT,	PETTIBONE , GREENPORT, NY
ED ON THE PLANS TO BE REMOVED OR RELOCATED ARE TO BE SO NOT DISTURB ADJOINING AREAS OR CONDITIONS WHICH ARE TO OURING DEMOLITION, TO OBSERVE ANY VARIATIONS OR NS AND REPORTED IMMEDIATELY TO THE OWNER. BY EQUIPMENT, MACHINERY, OR CONSTRUCTION, ARE TO BE EXISTING CONDITION PRIOR TO CONSTRUCTION AT NO ADDITIONAL	СКЩ СКЩ СКЩ СКЩ
S NOTED ON THE CONTRACT DOCUMENTS. CUT REMOVED FROM SED FOR FILL WHERE REQUIRED TO OBTAIN DESIRED GRADE. OR SOIL-ROCK MIXTURE FREE FROM ORGANIC MATTER AND IT SHALL CONTAIN NO ROCKS OR LUMPS OVER SIX INCHES IN ORE THAN 15% OF THE ROCKS OR LUMPS SHALL BE LARGER THAN 2 N.	OWNERS: ANN PETTIBONE BO RICCOBONO GREENPORT, NY 11946
TO BE TOP SOIL RAKED FREE FROM DEBRIS, STICKS, STONES OVER R NOTIFYING ALL UTILITY COMPANIES AND VERIFYING LOCATION OF ERVICES AND OTHER POSSIBLE EQUIPMENT OF UTILITY COMPANIES. SHALL FIELD VERIFY ALL INVERT ELEVATIONS AND SEWER RUCTION, ARCHITECT ASSUMES NO RESPONSIBILITY FOR SEWER DEPARTMENT RECORDS.	PROJECT ADDRESS: 446 6TH STREET GREENPORT, NY 11946
ALLERINE JEAN STRATCH	DRAWING SHEET NAME:
* 2 044368 044368 0747EOF NEW YORK	DRAWN BY: KS DATE: 09.20.22 SCALE: AS NOTED DRAWING SHEET NO:
DEDUCT BIDDING AND PERMIT SET	T-100.00


NOTES

- FIRMED
- VIRING.

NOTES	
	XISTING DIMENSIONS SHOWN IN PLAN TO BE CONFIF
	RIOR TO DEMO, WALK THROUGH REQUIRED.
	LECTRICAL WALKTHROUGH REQUIRED BEFORE WIRI ONFIRM WINDOW SIZES BEFORE PLACING ORDER.
<i>4.</i> 0	
	EXISTING WALL
	NEW WALL
φ	DUPLEX RECEPTACLE OUTLET
\$	220V RECEPTACLE OUTLET
†	QUADRAPLEX RECEPTACLE OUTLET
Ф Фил	HALF HOT RECEPTACLE OUTLET
Ф ^{wp}	WATER PROOF RECEPTACLE OUTLET
∯ ^{GFI}	GROUND FAULT INTERRUPTOR OUTLET
Ð	HIGH HAT FIXTURE
<u>ф</u>	SURFACE MOUNTED CEILING FIXTURE
⊢ ∲ -	SURFACE MOUNTED WALL FIXTURE
\bigcirc	SURFACE MOUNTED SPOT LIGHT
∲ ∕∕\$ \$	SWITCH
\$ ⊳	SWITCH DIMMER
PH	TELEPHONE
TV	TELEVISION
S/D	SMOKE DETECTOR
СМ	CARBON MONOXIDE DETECTOR
×	SURFACE MOUNTED CEILING FAN
EX/F	EXHAUST FAN
——F	SURFACE MOUNTED FLORESCENT FIXTURE
	UNDER CABINET MOUNTED FLORESCENT FIXTURE
T	SURFACE MOUNTED LIGHTING TRACK
⊢ 0€	EXTERIOR WALL MOUNTED FLOOD LIGHT
EX/F	EXHAUST FAN
$-\Phi_{}$	SURFACE MOUNTED CEILING FIXTURE W/ PUILL CHA

 Φ_{PC} SURFACE MOUNTED CEILING FIXTURE w/ PULL CHAIN







- NOTES 1 FXISTING DIMENSIONS SHOWN IN PLAN TO BE CONFIRMED.
- NIRING.

2. P 3. E	XISTING DIMENSIONS SHOWN IN PLAN TO BE CONF RIOR TO DEMO, WALK THROUGH REQUIRED. LECTRICAL WALKTHROUGH REQUIRED BEFORE WI ONFIRM WINDOW SIZES BEFORE PLACING ORDER.
	EXISTING WALL
	NEW WALL
Φ	DUPLEX RECEPTACLE OUTLET
\$	220V RECEPTACLE OUTLET
\$	QUADRAPLEX RECEPTACLE OUTLET
∲ ∲ ^{wp}	HALF HOT RECEPTACLE OUTLET WATER PROOF RECEPTACLE OUTLET
₩ ^{GFI}	GROUND FAULT INTERRUPTOR OUTLET
Ð	HIGH HAT FIXTURE
.	SURFACE MOUNTED CEILING FIXTURE
μ	SURFACE MOUNTED WALL FIXTURE
-	SURFACE MOUNTED SPOT LIGHT SWITCH
\$⊳	SWITCH DIMMER
PH	TELEPHONE
TV	TELEVISION
S/D	SMOKE DETECTOR
CM	CARBON MONOXIDE DETECTOR
	SURFACE MOUNTED CEILING FAN
EX/F	EXHAUST FAN
F	SURFACE MOUNTED FLORESCENT FIXTURE

- ===F SURFACE MOUNTED FLORESCENT FIXTURE UNDER CABINET MOUNTED FLORESCENT FIXTURE ____ SURFACE MOUNTED LIGHTING TRACK ____T ⊢⇔⊖ EXTERIOR WALL MOUNTED FLOOD LIGHT
- EX/F EXHAUST FAN Φ_{PC} SURFACE MOUNTED CEILING FIXTURE w/ PULL CHAIN







DEDUCT BIDDING AND PERMIT SET

NOTES

- 1. EXISTING DIMENSIONS SHOWN IN PLAN TO BE CONFIRMED.
- 2. PRIOR TO DEMO, WALK THROUGH REQUIRED.
- 3. ELECTRICAL WALKTHROUGH REQUIRED BEFORE WIRING.

4. (CONFIRM WINDOW SIZES BEFORE PLACING ORDER.
	EXISTING WALL
	NEW WALL
	DUPLEX RECEPTACLE OUTLET 220V RECEPTACLE OUTLET QUADRAPLEX RECEPTACLE OUTLET HALF HOT RECEPTACLE OUTLET WATER PROOF RECEPTACLE OUTLET GROUND FAULT INTERRUPTOR OUTLET
₽♦₽♥₽₽	HIGH HAT FIXTURE SURFACE MOUNTED CEILING FIXTURE SURFACE MOUNTED WALL FIXTURE SURFACE MOUNTED SPOT LIGHT SWITCH SWITCH DIMMER
PH TV S/D CM	TELEPHONE TELEVISION SMOKE DETECTOR CARBON MONOXIDE DETECTOR SURFACE MOUNTED CEILING FAN
	EXHAUST FAN SURFACE MOUNTED FLORESCENT FIXTURE UNDER CABINET MOUNTED FLORESCENT FIXTURE SURFACE MOUNTED LIGHTING TRACK EXTERIOR WALL MOUNTED FLOOD LIGHT EXHAUST FAN SURFACE MOUNTED CEILING FIXTURE w/ PULL CHAIN

