

SPRING 2022

The Village of Greenport is pleased to present to you this year's Water Quality Report. The report is required to be delivered to all residents of our Village in compliance with Federal and State regulations. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We also want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. The Mayor, Board of Trustees and the Village employees are committed to ensuring that you and your family receive the highest quality water.


In 1997, the Village sold the water system operations and facilities that were located outside the Village boundaries to the Suffolk County Water Authority (SCWA). Noting that all of the water supply wells except Well Site No. 3 are located outside the Village, the Village now purchases water on a wholesale basis from the SCWA and the Village does not rely on Well No. 3 for their water demands.

SOURCE OF OUR WATER

The source of water for the Village is groundwater pumped from the Glacial aquifer beneath Long Island, as shown on the adjacent figure. Generally, the water quality of the aquifer is good to excellent. Specific information concerning the supply wells can be obtained from the SCWA.

In order to ensure that our tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The total amount of water purchased by the Village from the SCWA in 2021 was 103.8 million gallons, of which approximately 84% was billed directly to consumers. The Village provided water to 1,118 customers in 2021.



THE LONG ISLAND AQUIFER SYSTEM

WATER TREATMENT

As previously discussed, the SCWA provides the water to the residents of the Village. SCWA provides various types of water treatment at each of the well sites to improve the water quality. The pH of the water is adjusted upward to reduce the corrosive action between the water and the water mains and in-house plumbing by the addition of sodium hydroxide or lime. Sodium hypochlorite (chlorine) is also added for disinfection purposes.

WATER QUALITY

In accordance with State regulations, the Village of Greenport and the SCWA routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. Over 135 separate parameters are tested for in each well numerous times per year. The table presented on page 3 depicts which parameters or contaminants were detected in your drinking water by the Village testing. In addition, the SCWA has already published water quality information concerning their testing as part of their Annual Water Quality Report. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health affects.

Residents can obtain additional information concerning the quality of the water from each individual supply well by checking their website, www. scwa.org, and click on Public Information and Water Quaitly Reports or contacting the Suffolk County Water Authority at 4060 Sunrise Highway, Oakdale, New York at (631) 589-5200.

The Village in conjunction with the SCWA, work around the clock to provide top quality water to every tap throughout the community. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and our children's future.

CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or concerning your water supply, please contact the Village Water Department at (631) 477-0248 or the Suffolk County Department of Health Services at (631) 852-5810. Residents are encouraged to attend any of our regularly scheduled Village Board meetings. They are normally held on the third Thursday of each month at 7:00 p.m. utilizing a virtual meeting utilizing GoToMeeting. Village Board Work Sessions are held on the third Thursday of each month at 7:00 p.m., also utilizing GoToMeeting format. Please see the Village website for call-in information.

The Village of Greenport routinely monitors for different parameters and contaminants in your drinking water as required by Federal and State laws. In addition, the SCWA continually tests the quality of the water from the wells. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791 or www.epa.gov/safewater.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. Nitrate in drinking water at levels above 10 mg/l is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome (Methemoglobinemia). Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your healthcare provider.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

COST OF WATER

The Village utilizes a step billing rate schedule which varies by service size. The rates for 3/4-inch residential services on a monthly basis are:

MONTHLY WATER RATES (Residential)

Consumption (gallons)	Charges
Up to 2,000	\$15.36 (minimum)
2,001 - 18,000	\$2.761/1,000 gallons
Over 18,000	\$4.021/1,000 gallons

(Commercial)

Consumption (gallons)	Charges
Up to 9,000	\$44.46 (minimum)
9,001 - 60,000	\$3.33 /1,000 gallons
Over 60,001	\$4.84 /1,000 gallons

The minimum monthly charge for commercial service is \$44.46 for up to 9,000 gallons and \$3.33 /1,000 gallons up to 60,000 gallons.

The Inc. Village of Greenport and SCWA conducts over 3,000 water quality tests throughout the year, testing for over 135 different contaminants which have been undetected in our water supply including:

testing for over 135 differen	nt contaminants which ha	ve been undetected in our
Arsenic	Alachlor	Trichloroacetic Acid
Cadmium	Simazine	1,2,4-Trimethylbenzene
Chromium	Atrazine	N-Butylbenzene
Fluoride	Metolachlor	Tert-Butylbenzene
Mercury	Metribuzin	1,3,5-Trimethylbenzene
Langlier Saturation Index •	Butachlor	N-Propylbenzene
Selenium	2,4-D	Bromoform
Silver	2,4,5-TP (Silvex)	Methyl Tert.Bulyl Ether (MTBE)
Zinc	Dinoseb	Gross Alpha
Ammonia	Dalapon	Gross Beta
Nitrite	Picloram	Radium 226
Iron	Dicamba	Radium 228
Total Dissolved Solids	Pentachlorophenol	Dichlorodifluoromethane
Detergents (MBAS)	Hexachlorocyclopentadiene	Chloromethane
Free Cyanide	bis(2-Ethylhexyl)adipate	Vinyl Chloride
Antimony	bis(2-Ethylhexyl)phthalate	Bromomethane
Beryllium	Hexachlorobenzene	Chloroethane
Calcium	Benzo(A)Pyrene	Trichlorofluoromethane
Thallium	Aldicarb Sulfone	Chlorodifluoromethane
Lindane	Aldicarbsulfoxide	1,1-Dichloroethene
Heptachlor	Aldicarb	Methylene Chloride
Aldrin	Total Aldicarbs	Trans-1,2-Dichloroethene
Heptachloro Epoxide	Oxamyl	1,1-Dichloroethane
Dieldrin	Methomyl	cis-1,2-Dichloroethene
Endrin	3-Hydroxycarbofuran	2,2-Dichloropropane
Methoxychlor	Carbofuran	Bromochloromethane
Toxaphene	Carbaryl	1,1,1-Trichloroethane
Chlordane	Glyphosate	Carbon Tetrachloride
Total PCBs	Diquat	1,1-Dichloropropene
Propachlor	Endothall	1,2-Dichloroethane
1,2-Dibromoethane (EDB)	Trichloroethene	Sec-Butylbenzene
1,2-Dibromo-3-Chl.Propane	1,2-Dichloropropane	4-Isopropyltoluene (P- Cumene)
Dioxin	Dibromomethane	PFNA
Chloroacetic Acid	Trans-1,3-Dichloropropene	PFH _x S
Bromoacetic Acid	cis-1,3-Dichloropropene	PFBA
Dichloroacetic Acid	1,1,2-Trichloroethane	PFH _x A
12		44. CO. 4 (44. CO.)

1.3-Dichloropropane Chlorobenzene 1.1.1.2-Tetrachloroethane Bromobenzene 1,1,2,2-Tetrachloroethane 1,2,3-Trichloropropane 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1.3-Dichlorobenzene 1,4-Dichlorobenzene 1.2 4-Trichlorohenzene Hexachlorobutadiene Benzene Toluene Ethylbenzene

Tetrachloroethene

M,P-Xylene O-Xylene

2021 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS(1)

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants					THE NEW YORK		or contaminant
Соррег	No	August 2019	0.0096 - 0.6 0.39 ⁽²⁾	тдЛ .	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	August 2019	ND - 1.6 ND ⁽²⁾	ug/l	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Barium	No	08/25/21	0.024	mg/l	n/a	MCL = 2.0	Naturally occurring
Sodium	No	08/25/21	34.1	mg/l	n/a	No MCL(3)	Naturally occurring
Odor	No	08/25/21	1,0	TON	n/a	No MCL	Naturally occurring
Chloride	No	08/25/21	63.4	mg/l	n/a	MCL = 250	Naturally occurring
Calcium Hardness	No	08/25/21	71.2	mg/l	n/a	No MCL	Naturally occurring
Total Hardness	No	08/25/21	102.0	mg/l	n/a	No MCL	Naturally occurring
Nitrate	No	08/25/21	4.6	mg/I	10	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Sulfate	No	08/25/21	29.7	mg/l	n/a	MCL = 250	Naturally occurring
Specific Conductance	No	08/25/21	471	umhos/cm	n/a	No MCL	Total of naturally occurring minerals
pH	No	08/25/21	6.6 - 7.0	pH units	n/a	No MCL	Measure of acidity and alkalinity
Disinfection By-Products							
Total Trihalomethanes (TTHM)(4)	No	08/25/21	4.6	ug/l	0	MCL = 80	Disinfection By-Products
Dibromoacetic Acid	No	08/25/21	1.5	ug/I	n/a	MCL = 60	Disinfection By-Products

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible. Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Threshold Odor Number (TON) - Are whole numbers that indicate how many dilutions it takes to produce odor-free water.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

(i) - Results indicate samples taken by the Village from the distribution system. Additional water quality results taken by the SCWA have previously been published by the SCWA as part of their Annual Water Quality Report.

(2) - During 2019, the Village collected 10 samples for lead and copper. The 90% level is presented in the table as the maximum result. The next round of samples will occur in 2022. If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Greenport Water Department and SCWA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/ lead.

(3) - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

(4) - TTHM - includes Bromoform, Bromodichloromethane, Chloroform and Dibromochloromethane

SOURCE WATER ASSESSMENT

The NYSDOH, with assistance from the local health department, has completed a source water assessment for the Greenport and SCWA system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See the section entitled "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future. A copy of the assessment, including a map of the assessment area, can be obtained by contacting the SCWA.

WATER CONSERVATION MEASURES

The underground water system of Long Island has more than enough water for present water demands. However, saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2021 the Village of Greenport continued to implement a water conservation program in order to minimize any unnecessary water use. Residents of the Village can also implement their own water conservation measures such as retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

MCL DEFERRAL

Residents of Greenport are advised that the Village purchases water from the Suffolk County Water Authority (SCWA) and that in January 2021, the SCWA received a deferral from the new Maximum Contaminant Level (MCL) established by the New York State Department of Health for 1,4-Dioxane and PFOA and PFOS. This deferral delays the the 1.0 ppb MCL for 1,4-Dioxane and the 10.0 ppt MCL for the PFOA/PFOS up until August 25, 2022, to allow the SCWA time to construct treatment facilities where necessary. For more information on the deferral, please visit www.scwa.com/emerging-contaminants/ and for the monthly update, please visit https://www.scwa.com/assets/1/6/ EC Board Update 2021-04.pdf.

INCORPORATED VILLAGE OF GREENPORT 236 Third Street
Greenport, New York 11944

VILLAGE BOARD MEMBERS

<u>MAYOR</u> George W. Hubbard, Jr.

TRUSTEES
Jack Martilotta,
Deputy Mayor

Peter Clarke Mary Bess Phillips Julia Robins

VILLAGE ADMINISTRATOR
Paul J. Pallas, P.E.

INC. VILLAGE OF GREENPORT 2021 WATER QUALITY DATA

	MAX.		PLANT NO. 3	. 3 S-1673
PARAMETERS (mg/l)	CONT. LEVEL	DETECT. LIMITS	MAX. RESULT	AVG. RESULT
INORGANIC			-	
ARSENIC	10.0 ug/l	3.0 ug/l	OUT OF	OUT OF SERVICE
CADMIUM	2.0 mg/l .	0.2 mg/l		
CHROMIUM	0.10 mg/l	0.01 mg/l		
COPPER	[1.3] mg/l	0.02 mg/l		
TECOXICE	2.2 mg/l	0.1 mg/l		
NEBC IDV	1/gn [0.4.]	1.0 ug/l		
SELENIUM	50 ug/l	0.2 ug/l		
SILVER	0.1 mg/l	0.01 mg/l		
SODIUM	**20/270 mg/l	0.2 mg/l		
SPECIFIC CONDUCTIVITY	None	None		
COLOR	15 Inite	6 Units		
ODOR	3 Units	Ollnik		•
IRON .	0.3 mg/l	0.02 mg/l	d.	
MANGANESE	0.3 mg/l	0.01 mg/l		
AMMONIA	None	0.1 mg/l		
NITRITE	1.0 mg/l	0.1 mg/l		
NITRATE	10.0 mg/l	0.1 mg/l		
CHLORIDE	250 mg/l	2.0 mg/l	8	
PH (BEFORE TREATMENT)	None	None	3	
SULFATE	250 mg/l	5.0 mg/l	10	
BEDYLLING	6.0 ug/l	5.9 ug/l		
NICKEL	4.0 ug/l	0.3 ug/l		
THALLIUM	2.0 ug/l	0.3 119/1		
CYANIDE	0.2 mg/l	0.010 mg/l		
PERCHLORATE	18.0 ug/l	1.0 ug/l		
ND - NOT DETECTED				

ND - NOT DETECTED
*** - 20 mg/l IS THE LIMIT FOR PEOPLE ON HIGHLY RESTRICTED SODIUM DIETS AND 270 mg/l
FOR THOSE ON MODERATELY RESTRICTED SODIUM DIETS

^{[]-} USEPANYSDH ACTION LEVEL
*** - EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER
WELL NO. 3 - OUT OF SERVICE
() - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

INC. VILLAGE OF GREENPORT 2021 WATER QUALITY DATA

MAX		PLANT NO. 3 S-1673	.3 S-1673
PARAMETERS (ug/l) CONT. DET	DETECT.	MAX. RESULT	AVG. RESULT
SYNTHETIC ORGANICS CONTAMINANTS (SOC)			
LINDANE 0.2 ug/l 0.025	5 ug/l	OUT OF SERVICE	SERVICE
	5 ug/l		
	0.025 ug/l		
	0.025 ug/l		
	l/gu		
	0.05 ug/l		
	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10		
	ľg/		
	ľg/		
TOTAL PCBs 0.5 ug/l 0.5 ug/l	ug/l		
	ng/l		
	ng/i		
4.0 ug/l	ng/i		
	l/gu		
	1.0 ug/l		
METRIBUZIN 50.0 ug/l 0.5 ug/l	lg/l		
	1.0 ug/l		

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3 - OUT OF SERVICE

()- NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

INC. VILLAGE OF GREENPORT 2021 WATER QUALITY DATA

	MAX.		PLANT NO. 3 S-1673	. 3 S-1673
PARAMETERS (ug/l)	CONT.	DETECT. LIMITS	MAX. RESULT	AVG. RESULT
SYNTHETIC ORGANICS CONTAMINANTS (SOC)	'S (SOC)			
2,4-D 2.4.5-TP (SII VEX)	50.0 ug/l	0.25 ug/l	OUT OF	SERVICE
DINOSEB	7.0 ug/l	0.13 ug/l		
DALAPON	200 ug/l	0.7 ug/l		
PICLORAM	500 ug/l	0.6 ug/l		
DICAMBA	50.0 ug/l	0.08 ug/l		
PENTACHLOROPHENOL	1.0 ug/l	0.2 ug/l		
bis(2-ETHYLHEXYL)ADIPATE	400 110/1	20.16/1		
bis(2-ETHYLHEXYL)PHTHALATE	6.0 ug/l	3.0 ug/l		
HEXACHLOROBENZENE	1.0 ug/l	0.25 ug/l		
BENZO(A)PYRENE	0.2 ug/l	0.1 ug/l		
ALDICARB SULFONE	2.0 ug/l	1.0 ug/l		
ALDICARBSULFOXIDE	4.0 ug/l	1.0 ug/l		
ALDICARB	3.0 ug/l	1.0 ug/l		
TOTAL ALDICARBS	7.0 ug/l	1.0 ug/l		
OXAMYL	200 ug/l	1.0 ug/l		
METHOMYL	50.0 ug/l	1.0 ug/l		
3-HYDROXYCARBOFURAN	50.0 ug/l	1.0 ug/l		
CARBOTURAN	40.0 ug/l	1.0 ug/l		
CARBARYL	50.0 ug/l	1.0 ug/l		
GLYPHOSATE	700 ug/l	10.0 ug/l		_
DIQUAT	20 ug/l	1.0 ug/l		
ENDOTHALL	100 ug/l	50.0 ug/l		
1,2-DIBROMOETHANE (EDB)	0.05 ug/l	0.02 ug/l		į
1,2-DIBROMO-3-CHL.PROPANE	0.2 ug/l	0.02 ug/l	•	
CONT - CONTAMINANT				

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3 - OUT OF SERVICE

() - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

INC. VILLAGE OF GREENPORT 2021 WATER QUALITY DATA

	MAX.		PLANT NO). 3 S-1673
PARAMETERS (ug/l)	CONT. LEVEL	DETECT. LIMITS	MAX. RESULT	AVG. RESULT
TRIHALOMETHANES AND HALOACE	TIC ACIDS			
CHLOROACETIC ACID		< 2.0 ug/l	OUT OF	SERVICE
BROMOACETIC ACID		< 1.0 ug/l		
DICHLOROACETIC ACID		< 1.0 ug/l		
TRICHLOROACETIC ACID		< 1.0 ug/l		
DIBROMOACETIC ACID		< 2.0 ug/l		
TOTAL HALOACETIC ACID	60 ug/l	< 2.0 ug/l		
CHLOROFORM	50 ug/l	< 0.5 ug/l		
BROMODICHLOROMETHANE	50 ug/l	< 0.5 ug/l		
DIBROMOCHLOROMETHANE	50 ug/l	< 0.5 ug/l		
BROMOFORM	50 ug/l	< 0.5 ug/l		•
TOTAL TRIHALOMETHANES	80 ug/l	< 1.0 ug/l		

CONT. - CONTAMINANT

ND - NOT DETECTED

pCi/L -

WELL NO. 3 - OUT OF SERVICE

^{()-} NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

INC. VILLAGE OF GREENPORT 2021 WATER QUALITY DATA

	MAX.		DI ANT NO	0. 3 S-1673
	CONT.	DETECT.	Company of the Compan	and the second s
PARAMETERS (ug/l)	LEVEL	LIMITS	MAX. RESULT	AVG. RESULT
VOLATILE ORGANICS				NEGOE!
DICHLORODIFLUOROMETHANE	5.0 ug/l	0.5 ug/l	OUT OF	SERVICE
CHLOROMETHANE	5.0 ug/l	0.5 ug/l	00106	SERVICE
VINYL CHLORIDE	2.0 ug/l	0.5 ug/l	M (30)	
BROMOMETHANE	5.0 ug/l	0.5 ug/l		
CHLOROETHANE	5.0 ug/l	0.5 ug/l		
TRICHLOROFLUOROMETHANE	5.0 ug/l	0.5 ug/l		
1,1-DICHLOROETHENE	5.0 ug/l	0.5 ug/l		
METHYLENE CHLORIDE	5.0 ug/l	0.5 ug/l		
TRANS-1,2-DICHLOROETHENE	5.0 ug/l	0.5 ug/l		
1,1-DICHLOROETHANE	5.0 ug/l	0.5 ug/l		
cis-1,2 DICHLOROETHENE	5.0 ug/l	0.5 ug/l		
2,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l		
BROMOCHLOROMETHANE	5.0 ug/l	0.5 ug/l		
1,1,1-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l		
CARBON TETRACHLORIDE	5.0 ug/l	0.5 ug/l		
1,1-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l		
1,2-DICHLOROETHANE	5.0 ug/l	0.5 ug/l		
TRICHLOROETHENE	5.0 ug/l	0.5 ug/l	1	
1,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l		
DIBROMOMETHANE	5.0 ug/l	0.5 ug/l		
TRANS-1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l		8
cis -1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l		
1,1,2-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l		
TETRACHLOROETHENE	5.0 ug/l	0.5 ug/l	1	
1,3-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	,	
CHLOROBENZENE	5.0 ug/l	0.5 ug/l	4	
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l		
BROMOBENZENE	5,0 ug/l	0.5 ug/l		
1,1,2,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l		
1,2,3-TRICHLOROPROPANE 2-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l		
4-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l		
1,2-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	1	
1,3-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l		
1,4-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l		
1,2,4-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l		
HEXACHLOROBUTADIENE	70 ug/l	0.5 ug/l		
1,2,3-TRICHLOROBENZENE	5.0 ug/l 5.0 ug/l	0.5 ug/l		
BENZENE		0.5 ug/l		
TOLUENE	5.0 ug/l	0.5 ug/l	1	1
ETHYLBENZENE	5.0 ug/l	0.5 ug/l		
M,P-XYLENE	5.0 ug/l	0.5 ug/l		
D-XYLENE	5.0 ug/l	· 0.5 ug/l	1	1
STYRENE	5.0 ug/l 5.0 ug/l	0.5 ug/l		
SOPROPYLBENZENE (CUMENE)	5.0 ug/l	0.5 ug/l		J
N-PROPYLBENZENE	5.0 ug/l	0.5 ug/l		1
1,3,5-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l 0.5 ug/l		- 1
FERT-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	1	
1,2,4-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	1	l
SEC-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	- 1	
-ISOPROPYLTOLUENE (P-CUMENE)	5.0 ug/l	0.5 ug/l	- 1	
N-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	1	- 1
OTAL TRIHALOMETHANES	5.0 ug/l	0.5 ug/l	9	1
METHYL TERT.BUTYL ETHER (MTBE)	10.0 ug/l	0.5 ug/l	1	I
CONT CONTAMINANT	, o.o agri	o.o ug/i		

CONT. - CONTAMINANT

ND - NOT DETECTED

^{*** -} EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER WELL NO. 3 - OUT OF SERVICE

() - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR